GEUTEBRÜCK

VIDEO MANAGEMENT

SECURITY MANAGEMENT

VIDEO CONTENT ANALYSIS

INTEGRATION AND MONITORING

SERVICE HARDWARE

Integration Server G-Link

Source Driver	Destination Driver		Filters	
	1		×	
			None	
) ASV Driver	X RPM II 0	<u> </u>
			RPH II 1	
			0 894 E 2 894 E 3	
		EberSeriors Driver	STN II 4	
		Company I	E RIM E S	
			B 894 116	
			894 E 7 894 E 8	
	Thir options (894 E 9	
) IGT Driver	RPM II 10	
	Trim Events Names) Iomisoantoriver	89M II 11 89M II 12	
	Trim Events Namer) Jacques Intercom C	SWIE 13	
) Maxxess Driver	R9W II 14	
			87M II 15 87M II 16	
	Trim Events Names Br		894 E 16	
	Dedimiter		RPM II 18	
	Trim Before Delimit			
	Trim After Delmiter			
		🗸 OK 🚱 Cancel		

G-Link connects all your security systems, e.g. fire alarm systems or access control systems, etc. to a centrally operated, uniform overall system. As an automatic translator, the software transcribes the fundamentally different event messages and thus makes them transferable and most importantly integrable for all systems connected to the G-Link server.

• Connection to various third party systems.

• For setting up a heterogeneous system landscape with operation from one system.

- Connection of third-party systems with little effort (e.g. fire alarm systems, access control, intrusion alarm systems, video analysis etc.)
- Flexible system integrations not yet available can be developed on customer request.
- Easy assignment of event messages between third-party systems.
- Intelligent processing and linking of input and output contacts of the third-party systems.
- Protection of systems by redundancy mode with two synchronized servers.

Technical data

The base G-Link server software is a Windows service that works without an active desktop. The software should be installed on a separate Windows server (PC) on which no other applications are running.

G-Link software options (interfaces to third-party systems)

We are constantly developing new G-Link software tools for connecting numerous additional third-party systems. Please select your desired software option from the current list on our homepage: www.geutebrueck.com/g-link

Here are some examples of av	vailable sof	tware options:	Here are some examples of available software options:								
G-Link Basis-Software	Order No.	Manufacturer	Product								
G-Link Server	3.06530	GEUTEBRÜCK	G-Link Server Software (Dongle)								
G-Link Software Optionen	Order No.	Manufacturer	Product	Software							
G-Link/Activation	8.34148	GEUTEBRÜCK	G-Link Integrations-Server	Software option for G-Link Activation							
G-Link/Upgrade	8.34149	GEUTEBRÜCK	G-Link Integrations-Server	Software option for G-Link Activation							
G-Link/G-Core	8.34172	GEUTEBRÜCK	Video Management System: G-Scope	All versions							
G-Link/GSC	8.34155	GEUTEBRÜCK	Video Management Hybrid Systems: GeViScope / re_porter	All versions							
G-Link/GeViSoft	8.34156	GEUTEBRÜCK	Security Management System: GeViSoft	All versions							
G-Link/MaxessServer	8.34150	Maxxess	Access Control System: Maxxess	Maxxess Access Platform v 4.2 or higher							
G-Link/FCWnx	8.34151	FCWnx	Access Control System: FCWnx	Fcwnx Access Commander 7.5.1 or higher							
G-Link/FibersensysAPU	8.34152	Fibersensys	Fiber Optic Intrusion Detection: Fiber FD3xx-IP, FD500D-IP	FD3xx-IP, FD500D-IP							
G-Link/CIASIBServer	8.34153	CIAS	High-End Perimeter Control System: Ermo 482X Pro, Ermo 482, Coral, Manta, Ermusa, Minermo, Darwin, Darwin, DT, Newton2, Newton Plus, Alfa, Murena, ISC Cable	Up to 32 IB servers. Every IB server supports up to 128 (0 to 127) IB devices.							
G-Link/IOmniscientServer	8.34154	iOmniscient	Video Management and Access Control System: IQSeries 4.0	IQSerie 4.0 or higher							
G-Link/InnerRangeInsight	8.34157	Inner Range	Security and Access Control System: Insight Professional	Insight Professional Version 5.1 (12437) or higher							
G-Link/HikVisionCentral	8.34158	HikVision	Digital and Network Video Recorder System	All versions							
G-Link/DedicatedMicros	8.34159	Dedicated Micros	Hybrid Recording System: Dedicated Micros DV-IP RT	All versions DV-IP RT							
G-Link/Jacques	8.34160	Jacques	Network Communication System: Controller: TCH-2MXH 51660, Master : IPM-350 51516, Intercom : VSL-361W+ 51676	IPM-360 51516, IPM-360H 51533, IPM-360G 51534, IPM-360GH 51535							
G-Link/Gallagher	8.34161	Gallagher	Gallagher Access Control System	Versionen ab 7.10							
G-Link/Protege	8.34162	Protege	Access Control System: Protege GX DIN Rail System Controller	ProtegeGX DIN RAIL Single Door Controller							
G-Link/DSCAlarmPanel	8.34163	DSC (Digital Security Controls)	Facility Protection: All versions	All versions							
G-Link/ASVChannel	8.34164	ASV	Maritime Video Surveillance System: ASV Software	ASV Software Development Kit 1.6.2 or higher							
G-Link/MicrosServer	8.34165	Micros	Hospitality Management System: Micros 8700 and 9700	Micros 8700 or higher							
G-Link/IGTServer	8.34166	IGT	Gaming Technology System: DACOM Paging Interface	All versions							
G-Link/SouthwestRPMII	8.34176	Southwest Microwave	Perimeter Fence Detection System: Southwest Microwave	INTREPID™ MicroPoint™ I or higher							
G-Link/ModbusTCP16Input	8.34167	TCP-Protokoll	All versions	All versions							
G-Link/ModbusTCP16Output	8.34168	TCP-Protokoll	All versions	All versions							
G-Link/SMSModule	8.34169	SMS-Protokoll	All devices with AT commands	All devices with AT commandsKommando							

Do you need to integrate a third-party system that is not yet listed or do you have questions about existing integrations? Our developers in the Integrations & SDK_department would be happy to consult you personally and answer all your questions regarding integration and interfaces.